# **VPV 4-1100 Screening Bucket**

VPV 4-1100 is a classic in the Vipermetal screening bucket range. This vertical drum model designed for excavators is an efficient and robust screening bucket for demanding use.









## **Specifications**



#### **Base Machine**

Excavator: 14,000 - 22,000 kg

(31,000 - 49,000 lbs) Wheel loader: -

#### Flow Rate

Oil Flow min - max: 120 - 250 I /min

(32 - 66 gal /min)

#### **Pressure**

Oil Pressure: 210/250 bar (3,000/3,600 psi)

#### Volume

ISO/SAE: 1 - 1.2 m<sup>3</sup> (1.3 - 1.6 yd<sup>3</sup>) Screen area: 0.9 m<sup>2</sup> (9.7 ft<sup>2</sup>)

#### **Dimensions**

Height: 1,450 mm (57 1/10 in) Width: 1,300 mm (51.0 in) Depth: 1,350 mm (53 1/10 in)

### Weight

Without accessories: 1,400 kg (3,100 lbs)



#### Additional notes:

- Product Name: VP = Viper; H = Horizontal axles, V = Vertical axles; first number = number of axles, second number = axle length in mm.
- Base machine weight recommendations are suggestive. Check the suitable tipping load from the base machine user manual.
- Hydraulic flow values are indicative. Always verify the correct values for the application from the manufacturer.
  Product weight is based on a bucket without any additional equipment. Blade spacing and blade thickness may affect the weight.
- The oil pressure values are indicative. Always verify the correct values for the application from the manufacturer.
- Changes to document information without prior notice are reserved.



